

April 03, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308

Respondent

Case No.: TCE240226

Location of Violation:1404 N RANDOLPH CIRTax ID #:111730 V0360

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause



# Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Lesa Vause Initial Inspection Date: 02/02/2024 Tax Identification Number: 111730 V0360 Violation Address: 1404 N RANDOLPH CIR Permit No.:NACase No.:TCE240226Repeat Offender:No

Owner(s):

DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308

You are required to correct the following code violations within 30 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 304 ~ Exterior Structure

Corrective Actions Required:

1 Remove all damaged building materials from the roof and garage area that were damaged by the fallen tree. Repair the roof, siding, walls, and windows with good material.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2. City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8355 6456 68

TCE240226 NOV/NOH INITIAL DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308-0722

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 03, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

BARKER ROGER E 3072 HUNTINGTON WOODS TALLAHASSEE FL 32303

Respondent

#### Case No.: TCE240500

# Location of Violation:3072 HUNTINGTON WOODS BLVDTax ID #:2116080000020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert



# Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert		Permit No.:	NA
Initial Inspection Date	e: 03/27/2024	Case No.:	TCE240500
Tax Identification Number: <b>2116080000020</b>		Repeat Offender:	No
Violation Address:	3072 HUNTINGTON WOODS BLVD		
Owner(s):			

BARKER ROGER E 3072 HUNTINGTON WOODS TALLAHASSEE FL 32303

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- IPMC Chapter 3, Section 304 Exterior Structure 304.6 Exterior walls.
   304.13 Window, skylight and door frames.
   304.15 Doors.
- 2 IPMC Chapter 3, Section 305 Interior Structure 305.3 Interior surfaces.
- **3** IPMC Chapter 6, Section 605 ~Electrical Equipment
- 4 IPMC Chapter 7, Section 704 Fire Protection Systems
- 5 IPMC Section 607 Duct systems
  607.1 General.
  607.2 Clothes dryer exhaust duct system maintenance.
- 6 IPMC Chapter 6, Section 603 ~ Mechanical Equipment
- 7 IPMC Chapter 6, Section 602 Heating Facilities 602.2 Residential occupancies.602.3 Heat supply.

Corrective Actions Required:

1 Ensure that exterior walls are free from holes, breaks, and loose or rotting materials; and are maintained weatherproof and properly surface coated where required to prevent deterioration.

Ensure every window, skylight, door and frame are maintained in a sound condition, good repair and weathertight.

Ensure that all exterior doors, door assemblies, operator systems if provided, and hardware are maintained in good condition.

There has been a partial deconstruction of the exterior walls in anticipation of replacing the exterior siding. Complete the repair of the exterior walls as required to the applicable building code. Ensure that the current building permit for replacing the siding includes all of the work that you are doing or intend to complete. Additional permitting may be required.

2 The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

Ensure all interior surfaces, including windows and doors, are maintained in a good, clean and sanitary condition. Repair, or remove all peeling, chipping, flaking or abraded paint as required. Repair cracked or loose plaster, decayed wood and other defective surface conditions as required to the applicable building codes. Repair all water damage in/on the walls of the garage, hall bathroom, living room, by the sliding glass doors, in the kitchen (floors, walls and ceiling), and by the front door. Locate the cause of the water incursion into the unit and repair the or replace the damaged drywall or other wall coverings, and cabinetry as required to the applicable building codes. A building permit and a licensed contractor may be required. Repair or replace all damaged flooring and trim as required. Repair all other water damage. Provide a protective coating on all unprotected surfaces, including repairs.

- **3** Ensure all electrical equipment, wiring, and appliances are properly installed and maintained in a safe and approved manner. The dropline for electrical service to the house cable support has been disconnected to allow room to install the new siding and is too low to the ground. Ensure that the dropline is correctly re-attached to the house per the applicable building codes.
- 4 The following violation requires your immediate attention: There were no smoke alarms in the bedrooms. Install a smoke alarm in each room used for sleeping purposes. Leave the existing smoke alarms in place at their current locations. Be prepared to demonstrate that all of the smoke alarms are fully functional.
- 5 Duct systems shall be maintained free of obstructions and shall be capable of performing the required function. Ensure that the lint trap, mechanical and heating components, and the exhaust duct system of a clothes dryer undergoes periodic removal of accumulations of lint in accordance with the manufacturer's operating instructions to prevent obstruction of exhaust air and products of combustion.

Ensure that the dryer exhaust system terminates on the outside of the building and is fully functional. A building permit and a licensed contractor may be required to re-locate the dryer exhaust.

6 Ensure that all appliances are fully functional.

The clothes dryer is not functioning. Repair or replace the clothes dryer as required and ensure that it is fully functional.

The HVAC unit is not functioning. Locate the cause and repair as required. Ensure that the air conditioner and the heater are fully functional.

7 Ensure dwellings have heating facilities capable of maintaining a room temperature of 68°F (20°C) in all habitable rooms, bathrooms and toilet rooms based on the winter outdoor design temperature for the locality indicated in Appendix D of the International Plumbing Code. Cooking appliances shall not be used, nor shall portable unvented fuel-burning space heaters be used, as a means to provide required heating. The installation of one or more portable space heaters shall not be used to achieve compliance with this section.

Every owner and operator of any building who rents, leases or lets one or more dwelling units or sleeping units on terms, either expressed or implied, to furnish heat to the occupants thereof shall supply heat.

Ensure that the HVAC unit is capable of supplying the required amount of heat to maintain the required temperature in all habitable spaces as required.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2. City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8355 6557 35

TCE240500 NOV/NOH INITIAL BARKER ROGER E 3072 HUNTINGTON WOODS BLVD TALLAHASSEE FL 32303-2527

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 05, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

BUSH SHELBY LEAH & BUSH JOHN L 103 BARBARA ST TALLAHASSEE FL 32304

Respondent

Case No.: TCE240352

Location of Violation:103 BARBARA STTax ID #:213565 C0020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8356 0857 46

TCE240352 NOV/NOH INITIAL BUSH SHELBY LEAH & BUSH JOHN L 103 BARBARA ST TALLAHASSEE FL 32304-3631

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



# Housing and Community Resilience **Code Enforcement**

### **Notice of Violation**

Code Officer: Jency Probert Initial Inspection Date: 03/15/2024 Tax Identification Number: 213565 C0020 Violation Address: **103 BARBARA ST** 

Owner(s):

BUSH SHELBY LEAH & BUSH JOHN L **103 BARBARA ST** TALLAHASSEE FL 32304

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 302 ~ Exterior Property Areas 302.1 Sanitation.

Corrective Actions Required:

1 Ensure that the exterior property and premises are maintained in a clean, safe and sanitary condition. Remove all trash and debris from the property. Empty standing water from containers and other items that are holding rain water. Repair or remove items that are in disrepair from your yard.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

Permit No.:	NA
Case No.:	TCE240352
Repeat Offender:	No



April 10, 2024

CITY OF TALLAHASSEE Petitioner,

<sup>vs.</sup> BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC;
BPX PARKWAY TIC 3 LLC
45 BAYVIEW AVE
INWOOD NY 11096

Respondent

Case No.: TCE232874

Location of Violation:**2855 APALACHEE PKWY APT 126B**Tax ID #:**3104204290000** 

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush



# Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Shameka Bush	Permit No.:	NA		
Initial Inspection Date: 11/30/2023	Case No.:	TCE232874		
Tax Identification Number: <b>3104204290000</b>	Repeat Offender:	No		
Violation Address: 2855 APALACHEE PKWY APT 126B				
Owner(s): BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC; BPX PARKWAY TIC 3 LLC 45 BAYVIEW AVE INWOOD NY 11096				

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 304 ~ Exterior Structure
- 2 IPMC Chapter 3, Section 305 ~ Interior Structure

#### Corrective Actions Required:

1 Every exterior wall shall be free of holes, breaks, loose or rotting boards or timbers, and any other conditions which might admit rain, or dampness to the interior portions of the walls or the occupied spaces of the building. All sidings material shall be kept in repair.

Repair the exterior wall, roof, and any other conditions which is causing rain or dampness to the interior portions of the walls and ceiling in the master's bedroom and bathroom, and the common bathroom.

Reference to APT 126B.

2 The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

All peeling, chipping, flaking, or abraded paint shall be repaired, removed, or covered and all cracked or loose plaster, decayed wood, and other defective surface conditions shall be corrected on the living room's ceiling, the master's bedroom and bathroom ceiling, and the common bathroom's ceiling.

Reference to APT 126B.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8356 7394 65

TCE232874 NOV/NOH INITIAL BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC; BPX PARKWAY TIC 3 LLC 45 BAYVIEW AVE INWOOD NY 11096-2210

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 10, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

SP SUNRISE LP 31899 DEL OBISPO ST STE 150 SAN JUAN CAPISTRANO CA 92675

Respondent

Case No.: TCE240060

 Location of Violation:
 2525 TEXAS ST APT C109

 Tax ID #:
 3107202950000

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert



# Housing and Community Resilience Code Enforcement

### Notice of Violation

Code Officer:Jency ProbertPermit No.:NAInitial Inspection Date:01/19/2024Case No.:TCE240060Tax Identification Number:3107202950000Repeat Offender:NoViolation Address:2525 TEXAS ST APT C109Violation Address:Violation Address

Owner(s):

SP SUNRISE LP 31899 DEL OBISPO ST STE 150 SAN JUAN CAPISTRANO CA 92675

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 304 Exterior Structure. 304.13 Window, skylight and door frames.
- 2 IPMC Chapter 3, Section 305 Interior Structure.
- 3 IPMC Chapter 5, Section 505 Water System. 505.4 Water heating facilities.

#### Corrective Actions Required:

- 1 Every window, skylight, door and frame shall be kept in sound condition, good repair and weathertight. There is light visible around the living room door. Ensure that all of the door seals are in place for all exterior doors and that the doors, door hardware, and doors seals are fully functional and that the doors are weather tight. Ensure that all of the windows, window hardware, and window seals are fully functional and that the windows are weather tight.
- 2 The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

There is loose flooring throughout the unit. Re-attach the flooring as required throughout the unit. Ensure that the flooring is properly secured to the sub-floor.

The tenant complained about there being mold in the bathroom. Locate the cause and repair the wall or ceiling as required to the applicable building code. Ensure that the exhaust fan is capable of removing the proper quantity of air/moisture from the bathroom.

3 At the time of re-inspection the water temperature at the kitchen sink was between 104 and 106 degrees Fahrenheit after 10 minutes the water temperature remained between 104 and 106 degrees Fahrenheit. Water heating facilities shall be properly installed, maintained and capable of providing an adequate amount of water to be drawn at every required sink, lavatory, bathtub, shower and laundry facility at a temperature not less than 110°F (43°C). Locate the cause of the water heater not producing enough hot water. Adjust the temperature and/or repair the water heater as required to the applicable building code. Ensure that the water heater is capable of providing and producing enough hot water as required.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2. City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8356 7514 98

TCE240060 NOV/NOH INITIAL SP SUNRISE LP STE 150 31899 DEL OBISPO ST SAN JUAN CAPO CA 92675-3244

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 10, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

ROBINSON ERIKA C & ROBINSON JAMES G JR 2400 FRED SMITH RD #204 TALLAHASSEE FL 32303

Respondent

Case No.: TCE240449

 Location of Violation:
 2400 FRED SMITH RD APT 204

 Tax ID #:
 2123220002040

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert



# **Housing and Community Resilience Code Enforcement**

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: Case No.: Initial Inspection Date: 03/28/2024 Tax Identification Number: Repeat Offender: 2123220002040 Violation Address: 2400 FRED SMITH RD APT 204

NA TCE240449 No

Owner(s):

**ROBINSON ERIKA C & ROBINSON JAMES G JR** 2400 FRED SMITH RD #204 TALLAHASSEE FL 32303

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- IPMC Chapter 3, Section 302 Exterior Property Areas. 1 302.1 Sanitation.
- 2 IPMC Chapter 3, Section 304 Exterior Structure. 304.13 Window, skylight and door frames.
- 3 IPMC Chapter 3, Section 305 Interior Structure. 305.4 Stairs and walking surfaces. 305.6 Interior doors. 305.3 Interior surfaces.
- 4 IPMC Chapter 3, Section 309 Pest Elimination. 309.1 Infestation.
- 5 IPMC Chapter 7, Section 704 Fire Protection Systems. 704.6 Single- and multiple-station smoke alarms.
- 6 IPMC Chapter 6, Section 605 Electrical Equipment. 605.1 Installation.
- 7 IPMC Chapter 6, Section 607 Duct Systems. 607.1 General.

Corrective Actions Required:

- 1 Exterior property and premises shall be maintained in a clean, safe and sanitary condition. Remove all trash and debris from behind the buildings.
- <sup>2</sup> The back door frame is in disrepair and vegetative material is growing out of it. Repair the back door frame as required to the applicable building code. Ensure that the back door, door hardware, and the door seal is fully functional. The front door bottom corner has rotted away. Repair or replace the front door as required. Ensure that the front door, door hardware, and door seal is fully functional. Ensure all of the exterior doors are weather tight.

Ensure that all of the windows, window hardware, and window seals are fully functional and that the windows are weather tight. Ensure all openable windows are equipped with a properly fitting window screen.

<sup>3</sup> The carpeting in the first floor bedroom has separated from the carpet tact strip. Reinstall the carpeting and install a transition strip between the two flooring materials.

There are sections of the carpeting upstairs that are in disrepair. Repair or replace the damaged carpeting as required. Install transition strips where required.

There are damaged and missing closet doors upstairs. Repair or replace the damaged closet doors as required. Ensure that the closet doors are fully functional.

There is water damage under the kitchen sink cabinet. Locate the cause of the leak and repair the leak and all of the water damage as required.

- 4 Insects were noted at the time of inspection. Ensure that the unit is free from insect and rodent infestation. Exterminate all insects or rodents that are found in the unit. Provide this office with documentation as to what was done and what will be done to prevent re-infestation.
- 5 The smoke alarm on the first floor is 'chirping' and the alarm needs to be serviced. Ensure that all of the smoke alarms are fully functional and less than 10 years old. Be prepared to demonstrate that all of the smoke alarms are fully functional.
- 6 In the north bedroom on the east wall the receptacle is loose. Repair or replace the receptacle as required. Ensure that all of the receptacles in the unit are fully functional.
- 7 There are HVAC duct covers that are dirty. Locate the cause and clean and service the duct covers as required. Clean the ductwork if required. Duct systems shall be maintained free of obstructions and shall be capable of performing the required function.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2. City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8356 7649 79

TCE240449 NOV/NOH INITIAL ROBINSON ERIKA C & ROBINSON JAMES G JR APT 204 2400 FRED SMITH RD TALLAHASSEE FL 32303-1641

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 12, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

Respondent

Case No.: TCE240262

# Location of Violation: 1310 DURA CIR Tax ID #: 2128700000810

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert



# Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer:Jency ProbertPermit No.:NAInitial Inspection Date:02/09/2024Case No.:TCE240262Tax Identification Number:2128700000810Repeat Offender:NoViolation Address:1310 DURA CIRViolation Address:Violation Address:

Owner(s):

BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- IPMC Chapter 3, Section 302 Exterior Property Areas.
   302.1 Sanitation.
   302.4 Weeds.
- 2 IPMC Chapter 7, Fire Safety Requirements, Section 702 Means of Egress

Corrective Actions Required:

1 Ensure the exterior property and premises is maintained in a clean, safe, and sanitary condition. Remove all of the trash and debris from the property. Store items designed for interior use inside (buckets, appliances, interior furniture, or the like).

Cut all high weeds and grass over twelve inches in height.

2 A safe, continuous and unobstructed path of travel shall be provided from any point in a building or structure to the public way. Ensure there is a 36 inch wide pathway from the exterior door on the front porch to the public way. Ensure that there is a clear pathway from any point in the building to the public way. Clear the appropriate 36 inch wide unobstructed pathways as required.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301



9214 8901 9403 8357 1637 02

TCE240262 NOV/NOH INITIAL BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 12, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

Respondent

Case No.: TCE240351

 Location of Violation:
 2327 PARROT LN

 Tax ID #:
 2121860000510

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

## Jency Probert



# **Notice of Violation**

Code Officer: Jency Probert Permit No.: Case No.: Initial Inspection Date: 03/06/2024 Tax Identification Number: Repeat Offender: 2121860000510 Violation Address: 2327 PARROT LN

Owner(s):

HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

NA TCE240351 No

You are required to correct the following code violations within **30** days of receipt of this notice.

Code(s) in Violation:

#### Land Development Code

1 TLDC Chapter 3, Section 3.488 - Maintenance (Residential)

Corrective Actions Required:

1 Remove the dead tree from your property and all associated tree debris.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8357 1908 45

TCE240351 NOV/ NOH INITIAL HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 17, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602

Respondent

Case No.: TCE240479

Location of Violation:401 W CAROLINA STTax ID #:2136500135295

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

# Lesa Vause

Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer:Lesa VauseInitial Inspection Date:04/05/2024Tax Identification Number:2136500135295Violation Address:401 W CAROLINA STOwner(s):

Permit No.:NACase No.:TCE240479Repeat Offender:No

CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

## Other

- 1 302.1 Sanitation.
- **2** 302.4 Weeds.
- **3** 302.8 Motor vehicles.

#### Corrective Actions Required:

- 1 Remove all bagged and loose trash on the property.
- 2 Cut all high weeds and grass on the property.
- 3 All vehicles must be operable and display current tags. The grey Ford pickup and the yellow Dodge Ram do not display current tags.

## If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8357 7792 79

TCE240479 NOV/NOH INITIAL CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602-5971

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 17, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB 8862 SOUTHERN ORCHARD RD DAVIE FL 33328-6956

Respondent

Case No.: TCE240535

 Location of Violation:
 540 W BREVARD ST

 Tax ID #:
 2125280000070

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

# Lesa Vause

Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer: Lesa Vause	Permit No.:	NA
Initial Inspection Date: 04/05/2024	Case No.:	TCE240535
Tax Identification Number: <b>2125280000070</b>	Repeat Offender:	No
Violation Address: 540 W BREVARD ST		
Owner(s):		

SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB 8862 SOUTHERN ORCHARD RD DAVIE FL 33328-6956

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

Other

1 302.1 Sanitation.

Corrective Actions Required:

1 Remove all trash and debris from the entire property.

## If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8357 7787 22

TCE240535 NOV/NOH INITIAL SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB TRUSTEE 8862 SOUTHERN ORCHARD RD N DAVIE FL 33328-6956

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 17, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

COREY ADAM B 400 ALTON RD APT 507 MIAMI BEACH FL 33139

Respondent

Case No.: TCE240576

Location of Violation:2006 ALTON RDTax ID #:212270 H0020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

# Lesa Vause

Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer: Lesa Vause	Permit No.:	NA
Initial Inspection Date: 04/04/2024	Case No.:	TCE240576
Tax Identification Number: <b>212270 H0020</b>	Repeat Offender:	No
Violation Address: 2006 ALTON RD		

Owner(s):

COREY ADAM B 400 ALTON RD APT 507 MIAMI BEACH FL 33139

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Land Development Code

1 302.1 Sanitation.

Corrective Actions Required:

1 Remove all trash, litter, and debris from property particularly around the trash cans, including the pallets.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8357 8076 99

TCE240576 NOV/NOH INITIAL COREY ADAM B APT 507 400 ALTON RD MIAMI BEACH FL 33139-6739

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 17, 2024

BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314

Re:

Address: **31072002500** Case No.: **TCE240624** 

Tax I.D. # 3107200250000

Dear Sir or Madam:

The Leon County Property Appraiser's records list you as the owner of the above referenced property. In performing code violation inspections in this area, we have found that your property is in violation of the City of Tallahassee Code pertaining to overgrowth and/or trash and debris. You are required to correct the violation within the time specified on the attached violation checklist. Included on the checklist is the action you will need to take to correct the violation. Once the violation has been corrected, please notify our office immediately so that a re-inspection of your property can be completed to verify compliance allowing this office to close this case.

3107200250000 923 Ashburn Dr.

It is important that you resolve this code violation promptly as failure to do so will require the City to correct the violation and the contractor's cost plus our administrative fee will then be assessed against your property through a special assessment lien. The City also has the right to exercise the option of foreclosure on your property once liens are levied. It is not our desire to take this action and it would be less expensive for you to correct the violation compared to the costs for the City to correct the violation. We want to work with you to correct this code violation. If you feel additional time will be necessary, please call our office. You will be required to submit your request in writing.

If you disagree with our findings, you may request a hearing at the next regularly scheduled meeting of the Code Magistrate to contest the City's determination regarding the need for lot clearance. Your request for a hearing must be submitted in writing to City of Tallahassee, Housing and Community Resilience, Code Enforcement Division, 300 South Adams Street, B-15, Tallahassee, FL 32301 or faxed to our office directly at (850) 891-0976. The case number and property address must also be included on your request for a hearing.

If you have any questions concerning this notice, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Martin Atorresagasti Code Enforcement Division

Attachment



# **Notice of Violation**

Code Officer:Martin AtorresagastiPermit No.:NAInitial Inspection Date:04/16/2024Case No.:TCE240624Tax Identification Number:3107200250000Repeat Offender:NoViolation Address:3107200250000 923 Ashburn Dr.Violation Address:Violation Address:

Owner(s):

BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### **Code of General Ordinances**

1 Chapter 9, Article III- Offensive Accumulations & Growth

Corrective Actions Required:

1 Mow lawn removing all high grass, weeds and overgrowth. Maybe subject to lot mow.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8357 8060 29

TCE240624 LM/NOV BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314-5223

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5: City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

# DANGEROUS

# **BUILDING NOTICE**

# Address: 2322 TALLEY LN

# CE Case No.: TCE240613

This building has been found to be dangerous by the enforcement official. This notice is to remain on this building as placed thereon until the requirements of the notice, which have been posted have been fully complied with. It is unlawful to remove this notice until such requirements have been complied with. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 days or both. (Section 1-7, Tallahassee Land Development).

Enforcing Official, Code Enforcement



April 24, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

LAWSON DAVID B 2322 TALLEY LN TALLAHASSEE FL 32303

Respondent

Case No.: TCE240613

 Location of Violation:
 2322 TALLEY LN

 Tax ID #:
 2121511203401

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush

Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer: Shameka Bush Initial Inspection Date: 04/23/2024 Tax Identification Number: 2121511203401 Violation Address: 2322 TALLEY LN Owner(s): LAWSON DAVID B 2322 TALLEY LN

**TALLAHASSEE FL 32303** 

Permit No.:NACase No.:TCE240613Repeat Offender:No

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code sec.1-2.** 

You are required to correct the following code violations within 5 days of receipt of this notice.

Code(s) in Violation:

# International Property Maintenance Code (IPMC)

- 1 IPMC 302.1 Sanitation.
- 2 IPMC 304.13 Window, skylight, and door frames.
- **3** IPMC 604.3.2.1 Electrical equipment.
- 4 IPMC 301.3 Vacant structures and land.

Corrective Actions Required:

- 1 Ensure the removal of all trash, debris, tires, and metal from the property, including the front, back, and sides of the yard.
- 2 Repair the broken windows, in the front of the structure.
- 3 Replace and properly install the lighting fixture on the front of the home, that has been exposed to fire. Ensure that the fixture be replaced and installed in accordance with the provisions of the International Building Code.
- 4 If the property is intended to be vacant, ensure that all windows and doors are in a secured and sound condition.

# If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8358 8401 76

TCE240613 DB PLACARD/NOV/NOH LAWSON DAVID B 2322 TALLEY LN TALLAHASSEE FL 32303-3242

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5: City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

# DANGEROUS

# **BUILDING NOTICE**

# Address: 2295 TINA DR

# CE Case No.: TCE240504

This building has been found to be dangerous by the enforcement official. This notice is to remain on this building as placed thereon until the requirements of the notice, which have been posted have been fully complied with. It is unlawful to remove this notice until such requirements have been complied with. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 days or both. (Section 1-7, Tallahassee Land Development).

Enforcing Official, Code Enforcement



April 10, 2024

CITY OF TALLAHASSEE Petitioner,

<sup>vs.</sup> AHANOTU DIKE 400 CAPITAL CIR STE # 18 BOX #197 TALLAHASSEE FL 32301

Respondent

Case No.: TCE240504

 Location of Violation:
 2295 TINA DR

 Tax ID #:
 1133170020340

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush

Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer: Shameka Bush Initial Inspection Date: 04/09/2024 Tax Identification Number: 1133170020340 Violation Address: 2295 TINA DR Owner(s): Permit No.:NACase No.:TCE240504Repeat Offender:No

AHANOTU DIKE 400 CAPITAL CIR STE # 18 BOX #197

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code sec.1-2**.

You are required to correct the following code violations within 5 days of receipt of this notice.

Code(s) in Violation:

# International Property Maintenance Code (IPMC)

- 1 IPMC 304.13 Window, skylight, and door frames
- 2 IPMC 309.1 Infestation
- **3** IPMC 605.1 Installation
- 4 IPMC 305.2 Structural members.
- 5 IMPC 305.4 Stairs and Walking Surfaces.
- 6 IPMC 301.2 Responsibility.

Corrective Actions Required:

- 1 Replace the weather stripping around the front door and ensure that the door and frame are in sound condition, in good repair, and weathertight.
- 2 Structures shall be kept free from insect and rodent infestation. Secure an exterminator to promptly eliminate the infestation of roaches at the home and take proper precautions to prevent re-infestation.

**3** Electrical equipment, wiring, and appliances shall be properly installed and maintained in a safe and approved manner.

Provide a globe to the lighting fixture on the exterior of the home.

- 4 Ensure structural members are maintained structurally sound and are capable of supporting the imposed loads.
- 5 Ensure every stair, ramp, landing, balcony, porch, deck, or other walking surface are
  - maintained in sound condition and in good repair.
- 6 Ensure that while the structure is occupied, it is in a safe and sanitary condition.

# If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8358 8528 89

TCE240504 DB PLACARD/NOV/NOH AHANOTU DIKE 400 CAPITAL CIR STE # 18 BOX #197 TALLAHASSEE FL 32301

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:

City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

# BUILDING NOTICE DANGEROUS

Address: 419 ESSEX DR

CE Case No.: TCE221884

with. fully days or both. (Section 1-7, Tallahassee Land Development). this building as placed thereon until the requirements of the notice, which have been posted have been This building has been found to be dangerous by the enforcement official. complied with. It is unlawful to remove this notice until such requirements have been complied Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 This notice is to remain on

Enforcing Official, Code Enforcement

04/24/2024

Date



April 22, 2024

CITY OF TALLAHASSEE Petitioner,

vs. LADD LARRY 419 ESSEX DR TALLAHASSEE FL 32304

Respondent

Case No.: TCE221884

 Location of Violation:
 419 ESSEX DR

 Tax ID #:
 213426 E0070

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



#### Housing and Community Resilience

**Code Enforcement Division** 

**OFFICIAL NOTICE OF VIOLATION AND NOTICE OF HEARING** 

Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Jency Probert Code Enforcement Division Attachment



# **Notice of Violation**

Code Officer: Jency Probert Initial Inspection Date: 09/08/2022 Tax Identification Number: 213426 E0070 Violation Address: 419 ESSEX DR Permit No.:NACase No.:TCE221884Repeat Offender:No

Owner(s):

LADD LARRY 419 ESSEX DR TALLAHASSEE FL 32304

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code Sec. 1-2.** 

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

## **International Property Maintenance Code (IPMC)**

- 1 IPMC Chapter 3, Section 304 ~ Exterior Structure 304.1 General.
- 2 IPMC Chapter 3, Section 305 ~ Interior Structure 305.1 General.
- **3** IPMC 302.1 Sanitation.
- 4 IPMC 301.2 Responsibility.

**Corrective Actions Required:** 

1 Ensure exterior of a structure is maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety, or welfare.

Repair or replace all damaged soffits, trim, and roofing materials as required to the applicable building codes. Repair or replace the front door as required to the applicable building code. Ensure all doors and windows are fully functional and weather tight. A building permit and a licensed contractor may be required for repairs.

- 2 Ensure the interior of a structure and equipment therein is maintained in good repair, structurally sound and in a sanitary condition.
- 3 Ensure all trash and debris is removed from the property, including but not limited to, appliances not in use.
- 4 The owner of the premises is responsible for maintaining the structure in a clean, safe, and sanitary condition. Ensure that all portions of the interior and exterior of your property is maintained in a safe and sanitary condition, including all of the required utilities being fully functional.

## If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8358 5361 09

TCE221884 DB PLACARD/NOV/NOH LADD LARRY 419 ESSEX DR TALLAHASSEE FL 32304-3917

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:

Postage: \$7.3600

City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

# BUILDING NOTICE DANGEROUS

Address: 1569 CALDWELL DR

CE Case No.: TCE240305

with. days or both. (Section 1-7, Tallahassee Land Development). fully complied with. It is unlawful to remove this notice until such requirements have been complied this building as placed thereon until the requirements of the notice, which have been posted have been This building has been found to be dangerous by the enforcement official. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 This notice is to remain on

adam ar of four 24 J024 10:10 EDT1 Enforcing Official, Code Enforcement

04/24/2024

Date



April 22, 2024

CITY OF TALLAHASSEE Petitioner,

vs.

SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310

Respondent

Case No.: TCE240305

Location of Violation:1569 CALDWELL DRTax ID #:410480 J0100

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



# Housing and Community Resilience

**Code Enforcement Division** 

**OFFICIAL NOTICE OF VIOLATION AND NOTICE OF HEARING** 

Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Jency Probert Code Enforcement Division Attachment



### **Notice of Violation**

Code Officer:Jency ProbertInitial Inspection Date:02/23/2024Tax Identification Number:410480 J0100Violation Address:1569 CALDWELL DR

Permit No.:NACase No.:TCE240305Repeat Offender:No

Owner(s):

SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310

You are required to correct the following code violations within 5 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 309 Pest Elimination.

Other

- 2 IPMC Chapter 3, Section 301.2 Responsibility.
- **3** IPMC 302.1 Sanitation.

Corrective Actions Required:

- 1 Take the proper steps to exterminate the mosquitos and other insects that are breeding in the containers in the backyard. Exterminate from the property insects, rodents, and vermin promptly by an approved processes that will not be injurious to human health. Remove the trash and debris from the yard to reduce attracting rodents and other animals or vermin living or scavenging for food through the trash and debris in the yard. Provide this office with documentation as to what has been done and will be done to prevent re-infestation.
- <sup>2</sup> The owner of the premises shall ensure that the structures and exterior property are maintained in a clean, safe, and sanitary condition, and ensure that the property is not occupied if it is not in a clean, safe, and sanitary condition.
- 3 Ensure the exterior property and premises are maintained in a clean, safe and sanitary condition. Ensure the occupant keeps that part of the exterior property that such occupant occupies or controls in a clean and sanitary condition. Properly dispose of all trash, debris, empty containers, vegetative debris, and other associated waste that is contributing to unsanitary and unsafe conditions.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8358 5345 70

TCE240305 DBPLACARD/NOV/NOH SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310-4952

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:

Postage: \$7.3600



April 25, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

BHALE LLC 400 CAPITAL CIR SE STE 18-#303 TALLAHASSEE FL 32301

Respondent

Case No.: TCE240365

 Location of Violation:
 3195 TIFFANY ST

 Tax ID #:
 3103500000840

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush

Code Enforcement Division Attachment



### **Notice of Violation**

Code Officer:Shameka BushInitial Inspection Date:03/19/2024Tax Identification Number:3103500000840Violation Address:3195 TIFFANY ST

Permit No.:NACase No.:TCE240365Repeat Offender:No

Owner(s):

BHALE LLC 400 CAPITAL CIR SE STE 18-#303 TALLAHASSEE FL 32301

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 6, Section 602 ~ Heating Facilities
- 2 IPMC Chapter 6, Section 603 ~ Mechanical Equipment
- **3** IPMC Chapter 6, Section 605 ~Electrical Equipment
- 4 IPMC Chapter 7, Section 704 ~ Fire Protection Systems
- 5 IPMC Chapter 3, Section 305 ~ Interior Structure

#### Corrective Actions Required:

1 Heating facilities shall be provided in structures as required by this section.

Replace and/or repair the central heating and cooling system that is efficient for the home, and it shall be kept and maintained in safe and good working conditions.

2 Mechanical appliances, fireplaces, solid fuel-burning appliances, cooking appliances and water heating appliances shall be properly installed and maintained in a safe working condition, and shall be capable of performing the intended function.

Replace the water heater at the property. It shall be properly installed and maintained in a safe working condition and shall be capable of performing the intended function.

**3** Electrical equipment, wiring, and appliances shall be properly installed and maintained in a safe and approved manner.

Repair and replace the receptacle plugs in the living room and bedroom #2. They should have the appropriate faceplate cover, for the location.

Repair the electrical breaker box and circuits, that are causing an electrical shortage at the property. Assure that the breaker box is label correctly and is working in the intended manner of the manufacturer.

Repair the lighting switch in the hallway.

- 4 Smoke alarms are required inside every bedroom. One smoke alarm is required outside the bedroom area. Existing smoke alarms must be functional.
- 5 The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

Repair all ceilings, with damage, due to water leaks.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8359 2276 93

TCE240365 NOV/NOH INITIAL BHALE LLC STE 18 PMB 303 400 CAPITAL CIR SE TALLAHASSEE FL 32301-3839

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 25, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

STEWART DARRYL K & STEWART BRIDGET D 1608 SEQUOIA DR TALLAHASSEE FL 32301

Respondent

Case No.: TCE240423

Location of Violation:1608 SEQUOIA DRTax ID #:113260 H0100

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush

Code Enforcement Division Attachment



## **Notice of Violation**

Code Officer: Shameka Bush Permit No.: NA Initial Inspection Date: 03/13/2024 Case No.: Tax Identification Number: Repeat Offender: 113260 H0100 No Violation Address: **1608 SEQUOIA DR** 

Owner(s):

STEWART DARRYL K & STEWART BRIDGET D 1608 SEOUOIA DR TALLAHASSEE FL 32301

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Land Development Code

1 TLDC Chapter 3, Section 3.488 - Maintenance (Residential)

Corrective Actions Required:

1 Remove all trash, litter and debris from around the property and under the carport. Remove all tree debris from property.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

TCE240423



9214 8901 9403 8359 2252 79

TCE240423 NOV/NOH INITIAL STEWART DARRYL K & STEWART BRIDGET D 1608 SEQUOIA DR TALLAHASSEE FL 32301-2734

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



April 25, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

GHIO JOHN ALEXANDER & GHIO CAROLYN EGAN 906 TERRACE ST TALLAHASSEE FL 32303

Respondent

Case No.: TCE240448

Location of Violation:906 TERRACE STTax ID #:113027 F0080

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division Attachment



## **Notice of Violation**

Code Officer:Lesa VauseInitial Inspection Date:03/21/2024Tax Identification Number:113027 F0080

906 TERRACE ST

Permit No.:NACase No.:TCE240448Repeat Offender:No

Owner(s):

Violation Address:

GHIO JOHN ALEXANDER 906 TERRACE ST TALLAHASSEE FL 32303

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Land Development Code

1 TLDC Chapter 3, Section 3.488 - Maintenance (Residential)

Corrective Actions Required:

1 Remove the two dead trees at the rear of your property bordering 885 Harbert Street. Clean up all tree debris accompanied with the tree removal.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8359 1186 94

TCE240448 NOV/NOH INITIAL GHIO JOHN ALEXANDER & GHIO CAROLYN EGAN 906 TERRACE ST TALLAHASSEE FL 32303-6455

Return Reference Number: Username: Denise Garrett Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



TCE240752 NOV NOH CC SERENITY COURT LLC 1511 EASTERN AVE BALTIMORE MD 21231-2328

Return Reference Number: Username: Bonita Paige Custom 1: Custom 2: Custom 3: Custom 3: Custom 4: Custom 5:

Postage: \$7.3600



May 02, 2024

CITY OF TALLAHASSEE

Petitioner,

vs.

CC SERENITY COURT LLC 1511 EASTERN AVE BALTIMORE MD 21231

Respondent

Case No.: TCE240752

# Location of Violation:2125 JACKSON BLUFF RD APT G-201Tax ID #:4103202400000

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Jency Probert

Code Enforcement Division Attachment



### **Notice of Violation**

Code Officer: Jency Probert	Permit No.:	NA
Initial Inspection Date: 04/25/2024	Case No.:	TCE240752
Tax Identification Number:4103202400000	Repeat Offender:	No
Violation Address: 2125 JACKSON BLUFF RD APT G-201		
Owner(s):		
CC SERENITY COURT LLC		
1511 EASTERN AVE		
BALTIMORE MD 21231		
		4 - 641-1

You are required to correct the following code violations within 5 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 304 ~ Exterior Structure. 304.1 General.
- 2 IPMC Chapter 3, Section 309 ~ Pest Elimination. 309.1 Infestation.
- 3 IPMC Chapter 5, Section 504 Plumbing Systems & Fixtures. 504.1 General.
- 4 IPMC Chapter 6, Section 602 ~ Heating Facilities.
  602.2 Residential occupancies.
  602.3 Heat supply.
- 5 IPMC Chapter 6, Section 603 ~ Mechanical Equipment. 603.1 Mechanical equipment and appliances.
- 6 IPMC Chapter 6, Section 604 ~ Electrical Facilities.
  604.1 Facilities required.
  604.2 Service.
- 7 IPMC Chapter 7, Section 704 ~ Fire Protection Systems 704.6.1.2 Groups R-2, R-3, R-4 and I-1.
- 8 IPMC Chapter 3, Section 305 ~ Interior Structure.
   305.1 General.

6 Every occupied building shall be provided with an electrical system in compliance with the requirements of this section and Section 605.

Dwelling units shall be served by a three-wire, 120/240 volt, single-phase electrical service having a minimum rating of 60 amperes.

Install the appropriate size service as required. A building permit and a licensed contractor may be required.

7 Systems, devices and equipment to detect a fire, actuate an alarm, or suppress or control a fire or any combination thereof shall be maintained in an operable condition at all times in accordance with the International Fire Code.

There are no smoke alarms in the bedrooms. Install a smoke alarm in each room used for sleeping purposes. Leave the existing smoke alarm in the hallway. Add an additional smoke alarm in the living room away from the kitchen area. Be prepared to demonstrate that all of the smoke alarms are fully functional at the time of re-inspection.

- 8 The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition. The kitchen countertop surface coating is separating from the countertop. Repair or replace the countertop surface as required.
- 9 Electrical equipment, wiring, and appliances shall be properly installed and maintained in a safe and approved manner. The power panel does not have all of the circuits identified. I identify all of the circuits as required.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



May 09, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

TRIPLETT JOASHA J L 1513 JACKS DR TALLAHASSEE FL 32301

Respondent

Case No.: TCE240544

 Location of Violation:
 1513 JACKS DR

 Tax ID #:
 310553 C0102

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Shameka Bush

Code Enforcement Division Attachment



## **Notice of Violation**

NA

No

TCE240544

Code Officer:Shameka BushPermit No.:Initial Inspection Date:04/03/2024Case No.:Tax Identification Number:310553 C0102Repeat Offender:Violation Address:1513 JACKS DR

Owner(s):

TRIPLETT JOASHA J L 1513 JACKS DR TALLAHASSEE FL 32301

You are required to correct the following code violations within 5 days of receipt of this notice.

Code(s) in Violation:

#### **Code of General Ordinances**

1 IPMC-302.8 Motor vehicles.

Corrective Actions Required:

1 Except as provided for in other regulations, inoperative or unlicensed motor vehicles shall not be parked, kept or stored on any premises, and vehicles shall not at any time be in a state of major disassembly, disrepair, or in the process of being stripped or dismantled. Painting of vehicles is prohibited unless conducted inside an approved spray booth.

Reference to the Black Nissan Maxima.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8361 1034 35

NOV/NOH TCE240544 TRIPLETT JOASHA J L 1513 JACKS DR TALLAHASSEE FL 32301-6040

Return Reference Number: Username: Brianna Cronan Custom 1: Custom 2: Custom 3: Custom 4: Custom 5:



May 09, 2024

CITY OF TALLAHASSEE Petitioner.

vs.

AREA 13 LLC 404 W VIRGINIA ST TALLAHASSEE FL 32301

Respondent

Case No.: TCE240575

# Location of Violation:V/L across from 616 Dunn StTax ID #:2125280000140

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The **Code Magistrate** will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the **Code Magistrate** may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the **Code Magistrate** may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the **Code Magistrate** in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the **Code Magistrate** may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the **Code Magistrate**.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division Attachment



## **Notice of Violation**

Code Officer:Lesa VausePermit No.:NAInitial Inspection Date:04/10/2024Case No.:TCE240575Tax Identification Number:2125280000140Repeat Offender:NoViolation Address:V/L across from 616 Dunn St

Owner(s):

AREA 13 LLC 404 W VIRGINIA ST TALLAHASSEE FL 32301

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

#### Other

- 1 302.1 Sanitation.
- **2** 302.4 Weeds.
- **3** 302.7 Accessory structures.

#### Corrective Actions Required:

- 1 Remove all trash and debris from the property.
- 2 Mow all high grass and weeds on the property.
- **3** Please repair the damaged/missing area of the fence.

#### If you have any questions concerning these violations, please call our office at (850) 891-7007.

**Boarding a structure will not bring the property into compliance.** If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



9214 8901 9403 8361 1092 53

NOV/NOH TCE240575 AREA 13 LLC 404 W VIRGINIA ST TALLAHASSEE FL 32301-1030

Return Reference Number: Username: Brianna Cronan Custom 1: Custom 2: Custom 3: Custom 4: Custom 5: