




SEWER EQUIPMENT  
CO. of AMERICA  
1-800-323-1604

MODEL 800-11PR TRUCK JET

SEWER EQUIPMENT  
CO. of AMERICA  
1-800-323-1604

The **800-HPR Series II** truck jet features the patented telescoping/rotating hose reel enclosed in a heated rear compartment.




**Power Plant** - Our quality starts with the triplex pump, powerful hydraulic system, and the pre-painted power plant sub assembly.

**One Piece Shroud** protects the pump & hydraulically extendable and rotating hose reel. The shroud is available in corrosion resistant Aluminum or Painted Steel. The shroud and all Series" sub-assemblies are pre-painted before assembly to assure the maximum corrosion resistance.

**Heated Rear Compartment** uses an 80,000 BTU heater to keep components from freezing in cold climates.

**Front and Side Roll Up Doors** provide easy access to the hose reel and pump compartment and keep your machine secure.



**Duraprolene™ Water Tanks** are comprised of two 750 gallon capacity tanks with 1/2" thick walls, and true top to bottom baffles that are repairable. The U.V. stabilized material will never rust or corrode, is flexible in nature and will not crack. The two tanks are designed with 8 baffled compartments each to eliminate any tank sloshing or distortion.

**Smart Nozzle™** brand high efficiency nozzles are recommended for the best cleaning performance. One high flow nozzle and one chisel point nozzle are included.



**Patented Telescoping Reel** is stored in the heated rear compartment, hydraulically extended using the new Ultra-Flow nozzle for durability. The hose reel allows 360 degree rotation. The reel is now available with a powered rotating mechanism.

# The Machine for all Seasons




### Roll Out Root Cutter Maintenance Box:

This storage compartment for your hydraulic root cutting tools is a sealed, epoxy coated oil reservoir equipped with a hand or electric pump that forces hydraulic oil into the root cutter stored inside. This *system* will help you prolong the life of your root cutting tools

Smart Counter™ hose footage meter is accurate to +/- 1%. Its large 2 1/4" brightly lit red IED display makes the footage readout visible up to 150 feet away. The Smart Counter™ is housed in a water and dust proof IP65 case.

### ing/Rotating Dual Hose

ted rear compartment and  
ds out of the compartment  
:I-Glide system for increased  
e reel is also capable of 180  
1e Series" BOO-HPRTVs  
an optional nyraulcllly  
,ose reel,



**Watertight Controls** are contained in a weatherproof NEMA 4 control box.

Automatic level Wind with Up/Down 1\etion and a redundant Control allows for safe, clean, and hands-free hose operation away from traffic.

# *TRUCICJETS*




# *TRAILER JETS*



# *OTHER PRODUCTS*





## 800-HPR Truck Mounted Jetter

TRUCK MOUNTED HIGH PRESSURE SEWER CLEANER  
 WATER PUMP (65 GPM/2,000 PSI)  
 HYDROSTATIC DRIVE VIA WORLD TRANSMISSION  
 1500 GALLON DURAPROLENE WATER TANK (RECTANGULAR)  
 FILL SYSTEM WITH RECIRCULATION SYSTEM  
 REAR MOUNTED ROTATING/TELESCOPING SAFETY HOSE REEL  
 800' X 1" HOSE CAPACITY  
 25' LEADER HOSE  
 STEEL SHROUDED REAR COMPARTMENT  
 (1) REAR AND (2) SIDE ACCESS ROLL-UP DOORS  
 LIGHTED CONTROL PANEL WITH NEMA 4 ENCLOSURE AND TACHOMETER AND  
 HOURMETER  
 L.C.e., LIGHTING  
 AIR PURGE SYSTEM  
 STANDARD NOZZLE & ACCESSORY PACKAGE  
 BUMPER AND MUDFLAPS  
 FOOTAGE METER (MOUNTED ON JET HOSE REEL)  
 DRAIN VALVES FOR WATER PUMP  
 HYDRAULIC PRESSURE GAUGE  
 500' SEWER HOSE (1" LD., 2500 P.S.L.)  
 FILL HOSE STORAGE RACK  
 ENGINE/WATERPUMP COMPARTMENT LIGHT  
 FLOODLIGHT  
 STANDARD WHITE PAINT  
 MOUNT JET UNIT ON CHASSIS ( HITCH RECEIVER INCLUDED)  
 STEEL SKIRTING AND STEEL TOOLBOXES (4)  
 TRI-STAR (CHISEL POINT) NOZZLE & HW (HIGH FLOW) NOZZLE  
 NOTE: TWO (2) SETS OF NOZZLES INCLUDED (4 TOTAL) WITH DUAL HOSE REEL UNITS  
 FINNED NOZZLE EXTENSION, BB HOSE GUIDE, 25' FILL HOSE, WASH-DOWN GUN WITH  
 25' EXTENSION HOSE, UPSTREAM PULLEY GUIDE, AND PAPER OWNER'S MANUAL

**1.0 BASE MACHINE PRICE**

**\$76,116.00**

1.1	FIXED HOSE REEL IN LIEU OF TELESCOPING/ROTATING HOSE REEL	-\$13,298.00
1.2	ROTATING REEL NON SHROUDED, HOSE REEL DOES NOT TELESCOPE)	-\$11,556.00
1.3	FRONT MOUNTED ROTATING HOSE REEL IN LIEU OF REAR MOUNT, HOSE REEL DOES NOT TELESCOPE	-\$9,144.00
1.4	UPGRADE TO HPRTV UNIT WITH JET POD TELEVISIONING SYSTEM ALL STANDARD FEATURES FROM THE 800-HPR PLUS WATER PUMP (75 GPM/2500 PSI), ROTATING/TELESCOPING DUAL HYDRAULIC HOSE REEL SYSTEM (500' UMBILICAL CORD CAPACITY / 800' X 1" JET HOSE CAPACITY), 500' OF UMBILICAL CORD MOUNTED ON UNIT (3,000 PSI RATING), 600' X 1" JET HOSE MOUNTED ON UNIT (3,000 PSI RATING), COLOR T.V., SELF-LEVELING CAMERA WITH 4" JET POD SYSTEM, POWER PACK, COLOR MONITOR, AND VCR.	\$32,831.00

## 2.0 TV OPTIONS FOR HPRTV UNIT

2.1	UPGRADE TO 360 PANITILT CAMERA SYSTEM (ONLY ACCEPTS 8" SKIDS AND LARGER)	\$30,000.00
2.2	DEDUCT FOR 55 GPM AT 3,000 PSI WATER PUMP	(\$552.00)
2.3	AUXILLARY LIGHTING	\$2,245.00
2.4	ADDITIONAL SELF-LEVELING CAMERA HEAD	\$3,489.00
2.5	SONDE LOCATOR	\$2,781.00
2.6	ON-SCREEN FOOTAGE COUNTER (FOR UMBILICAL REEL) & DIGITAL "SMART COUNTER" (WITH A/B SWITCH) FOR SEWER HOSE	\$3,370.00
2.7	6" JET POD TV SKID FOR STRAIGHT VIEW CAMERA	\$436.00
2.8	8" JET POD TV SKID FOR STRAIGHT VIEW CAMERA	\$463.00
2.9	10" JET PODTV SKID FOR STRAIGHT VIEW CAMERA (8" SKID REQUIRED)	\$245.00
2.10	12" JET POD TV SKID FOR STRAIGHT VIEW CAMERA (8" SKID REQUIRED)	\$312.00
2.11	15" JET POD TV SKID FOR STRAIGHT VIEW CAMERA (8" SKID REQUIRED)	\$322.00
2.12	18" JET POD TV SKID FOR STRAIGHT VIEW CAMERA (8" SKID REQUIRED)	\$334.00

## 3.0 REAR COMPARTMENT OPTIONS:

3.1	80 GPM AT 2,000 PSI PUMP IN LIEU OF 40 GPM/2000PSI (N/A FOR HPRTV UNIT)	\$8,329.00
3.2	75 GPM AT 2,500 PSI PUMP IN LIEU OF 40 GPM/2000PSI (STANDARD W/ HPRTV UNIT)	\$9,072.00
3.3	55 GPM AT 3,000 PSI PUMP IN LIEU OF 40 GPM/2000PSI(SEE TV OPTIONS FOR HPRTV UNIT)	\$8,509.00
3.4	80,000 B.T.U. REAR COMPARTMENT HEATER	\$2,756.00
3.5	HYDRAULICALLY POWERED ROTATING HOSE REEL (ROTATING REEL UNITS ONLY)	\$4,388.00
3.6	AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION	\$4,870.00
3.7	DIGITAL "SMART COUNTER" FOOTAGE METER	\$2,149.00
3.8	FOOTAGE METER (MOUNTED ON LEVEL WIND)	\$563.00
3.9	1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY	\$1,905.00
3.10	TESTING FEE (FOR UNITS ORDERED WITHOUT HOSE)	\$319.00
3.11	500' ARMOR BELT SEWER HOSE (1" LD., 2500 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$370.00
3.12	600' ARMOR BELT SEWER HOSE (1" I.D., 2500 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$759.00
3.13	500' ARMOR BELT SEWER HOSE (1" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$790.00
3.14	600' ARMOR BELT SEWER HOSE (1" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$1,263.00
3.15	500' ARMOR BELT SEWER HOSE (3/4" I.D., 2500 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$160.00
3.16	600' ARMOR BELT SEWER HOSE (3/4" I.D., 2500 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$507.00
3.17	500' ARMOR BELT SEWER HOSE (3/4" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$210.00
3.18	600' ARMOR BELT SEWER HOSE (3/4" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$567.00
3.19	600' SEWER HOSE (1" I.D., 2500 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$315.00
3.20	500' SEWER HOSE (1" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$340.00
3.21	600' SEWER HOSE (1" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$723.00
3.22	500' SEWER HOSE (3/4" I.D., 2000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	(\$155.00)
3.23	600' SEWER HOSE (3/4" I.D., 2000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$129.00
3.24	500' SEWER HOSE (3/4" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	(\$25.00)
3.25	600' SEWER HOSE (3/4" I.D., 3000 P.S.I.) I.L.O. 500' SEWER HOSE (1" I.D., 2500 P.S.I.)	\$285.00
3.26	SEWER HOSE (5/8" LD., 4000 P.S.I.) 100'	\$284.00
3.27	SEWER HOSE (1/2" I.D., 4000 P.S.I.) 100'	\$273.00
3.28	LATERAL LINE CLEANING KIT (150' X 3/4" HOSE WITH NOZZLE MOUNTED ON A ROLLING CART WITH TONGUE STORAGE PAD; INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT)	\$2,892.00

3.29	MINI-MISSILE NOZZLE	\$316.00
3.30	PATRIOT II ROOT CUTTERKIT (RING & ADJ ROLLER SKIDS, 4" TO 15" SAWS)	\$1,932.00
3.31	NOZZLE RACK	\$101.00
3.32	50' WASHDOWN SYSTEM WITH RETRACT ABLE REEL	\$961.00
3.33	ALUMINUM SHROUD	\$8,189.00
3.34	SONDE & LOCATOR	\$2,728.00

## 4.0 DUAL REEL OPTIONS:

4.1	DUAL HOSE REEL (1" X 600' CAPACITY REEL & SECOND REEL WITH 5/8" X 700' CAP ACITI	\$5,956.00
4.2	AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION FOR TWO (BOTH) REELS (DUAL REEL UNITS ONLY)	\$8,435.00
4.3	DIGITAL "SMART COUNTER" (WITH A/B SWITCH) FOR DUAL REEL UNITS	\$3,009.00

## 5.0 TANK &amp; FILL OPTIONS:

5.1	INCREASE WATER TANK TO 2,000 GALLONS	\$3,661.00
5.2	DECREASE WATER TANK TO 1,000 GALLONS	(\$1,030.00)
5.3	AUTOMATIC FILL SHUTOFF	\$903.00
5.4	UPGRADE DURAPROLENE WATER TANK FROM STANDARD 5 YEAR WARRANTY TO 10 YEAR WARRANTY ON 1500 GALLON UNIT (MUST BE PURCHASED AT TIME OF SALE	\$1,964.00

## 6.0 LIGHTING OPTIONS:

6.1	ROTATING BEACON (FACTORY STANDARD)	\$319.00
6.2	STROBE LIGHT (FACTORY STANDARD)	\$377.00
6.3	ARROW STICK (FACTORY STANDARD)	\$770.00
6.4	ARROW BOARD (FACTORY STANDARD)	\$669.00
6.5	PLUG-IN SPOTLIGHT	\$202.00
6.6	SPOTLIGHT WITH RETRACTABLE CORD	\$346.00

## 7.0 PENDANT CONTROLS:

7.1	BASIC PENDANT CONTROL WITH 25' CORD, WITH HOSE REEL F-N-R CONTROL AND KILL SWITCH	\$1,014.00
7.2	STANDARD PENDANT CONTROL WITH 25' CORD, WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, AND KILL SWITCH	\$1,630.00
7.3	MASTER PENDANT CONTROL WITH 25' CORD, HOSE REEL F-N-R CONTROL, HOSE REEL VARIABLE SPEED CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, & KILL SWITCH	\$2,959.00
7.4	CORDLESS REMOTE CONTROL PENDANT (WITH MASTER PENDANT FUNCTIONS)	\$5,252.00

## 8.0 PAINT (JETTER PORTION):

8.1	ALL OTHER COLORS	\$500.00
-----	------------------	----------

## 9.0 TRUCK MOUNTING AND TOOL STORAGE OPTIONS:

9.1	UPGRADE TO STEEL SKIRTING AND ALUMINUM TOOLBOXES (4)	\$318.00
9.2	SKIRTING ONLY (NO TOOLBOXES)	(\$2,711.00)
9.3	LONG HANDLED TOOL STORAGE (TWO (2) 4" TUBES)	\$219.00
9.4	ROLL-OUT ROOT CUTTER MAINTENANCE BOX	\$1,751.00
9.5	ROLL-OUT ROOT CUTTER MAINTENANCE BOX W/ELECTRIC PUMP	\$2,733.00
9.6	DEDUCT FOR HYDROSTATIC FRONT CRANKSHAFT DIRECT DRIVE	(\$773.00)
9.7	FIXED OVERHEAD CANOPY	\$478.00

## 10.0 MANUALS &amp; TRAINING:

10.1	ADDITIONAL PAPER OPERATOR'S MANUAL	\$113.00
10.2	CD-ROM OPERATOR'S MANUAL	\$27.00
10.3	ONSITE FACTORY TRAINING (1 DAY)	\$1,200.00
10.4	ONSITE FACTORY TRAINING (ADDITIONAL DAY)	\$900.00

Sterling Acterra Chassis \*\*\*\*

\$54,850.00

International 4300 \*\*\*\*

\$56,722.00

\*\*\*\*Chassis at cost