



October 11, 2016

**NOTICE TO BIDDERS  
ADDENDUM No. 2**

**Name: Inglewood Neighborhood Stormwater Improvements  
Bid No.: IFB 0145-16- RM-FT**

Please be advised of Addendum #2 to the above referenced Bid Solicitation as follows:

This addendum consists of four (4) pages and forms a part of the proposal documents and modifies the original specifications and proposal documents, dated September 16, 2016 as noted below: **Please acknowledge Addendum 2 in the bid document.**

**This addendum consists of two items:**

**Item 1**

**Remove** existing SPECIAL PROVISIONS (Volume I) and **replace** with the revised SPECIAL PROVISIONS (attached below).

**Item 2**

**Amend** sheet 16 of the plans (Volume 3). Drainage structure P-111 shall be constructed with 2-piece cover.

**BID OPENING IS HAS NOT CHANGED AND WILL BE TUESDAY, OCTOBER 18, 2016 AT 2:30.**

Should you have any questions concerning the above or related matters, please do not hesitate to contact Ron Mayo at (850) 891-8346 **or through FRS TDD at 711.**

*Andre Libroth*

Andre Libroth  
Manager for Procurement Services

AL/rm

\_\_\_\_\_  
COMPANY NAME

\_\_\_\_\_  
AUTHORIZED SIGNATURE

\_\_\_\_\_  
DATE

## **SPECIAL PROVISIONS**

**(revised 10/11/16)**

### **GENERAL PAY ITEM NOTES**

1. No separate payment will be made for dewatering. The costs for dewatering shall be included in the unit prices for all items.
2. No separate payment will be made for filter fabric. The costs for filter fabric shall be included in the unit prices for all items requiring filter fabric.
3. No separate payment will be made for videotaping pipe culverts. The costs for videotaping are included in the unit prices for pipe culvert.
4. Unit prices for pipes, culverts, sewer pipe and water main include the costs for furnishing, installing, maintaining, and removal of 1.5 inch minimum thickness of asphalt pavement millings or fine Type SP Asphaltic Concrete at the ground surface of all pipe and box culvert trenches in paved areas for the purpose of sediment and erosion control until the final pavement is placed.

### **STORMWATER PAY ITEM NOTES**

#### **101-1: MOBILIZATION**

The unit price also includes all costs for preparation of an approved Construction Progress Schedule, an approved Erosion Control Plan, an approved Traffic Control Plan, an approved Dewatering Plan, the Preconstruction Survey, preparing and submitting approved Shop Drawings, and furnishing, installing and removing the Project Signs.

#### **102-1: MAINTENANCE OF TRAFFIC**

The unit price constitutes full compensation for all labor and materials required to implement the approved Traffic Control Plan to safely maintain traffic around or through the work zone not included for payment under other related pay items, including warning and regulatory signs, message boards, drums, barricades, channelizing devices, temporary concrete barrier, warning lights, flaggers, business entrance signs, maintenance of existing driveways, temporary pavement, and removal and reinstallation of existing signs in conflict with construction as directed by the engineer. No adjustments will be made to the contract price for increases in contract time.

#### **104-10-3: STAKED SILT FENCE (TYPE IV)**

This contingency item is to be used only as directed by the Engineer.

#### **104-18-1, 104-18-2: INLET PROTECTION SYSTEM (TYPE 1), (TYPE 2)**

The unit price shall include all labor and materials necessary for the installation and maintenance of sediment barriers and inlet protection systems as described in the "State of Florida Erosion and Sediment Control Designer and Reviewer Manual," for all phases of construction. The unit price also includes routine inspections, sediment removal, and cleaning the inlet protection systems for the duration of construction.

110-1-1: CLEARING AND GRUBBING

The unit price shall include removal and disposal of all trees, pipes, inlets, manholes, curbs, asphalt, roadway base, concrete, sanitary sewer pipes and structures, and all other features and obstructions necessary to be removed/disposed as needed to construct the proposed improvements for which other items of the contract do not specify the removal thereof. Partial payments will be based upon the estimated total value of work completed to the date of the estimate as determined by the Engineer. All partial estimates and payments are subject to correction in subsequent estimates and payments. The unit price also includes all costs for removal and relocation or replacement of existing mailboxes.

160-4, 285-704: TYPE B STABILIZED SUBGRADE (12"), OPTIONAL BASE LIMEROCK (6")

The limits of pavement reconstruction are shown on Sheet 18 of the plans. No additional payment will be made for pavement reconstruction outside of the limits defined in the Pavement Restoration Plan. This is a plans quantity measurement item.

334-1-12: SUPERPAVE ASPHALT CONC. (2" THICK)

The unit price also includes all pavement markings including temporary striping during asphalt curing period, and adjustment of all existing utility frames and covers and all water and gas valves within the limits of construction.

410-70-066: PRECAST CONCRETE BOX CULVERT

The unit price constitutes full compensation for all labor and materials necessary to furnish and install precast concrete box culvert meeting the requirements of FDOT Index 291 and 292 (moderately aggressive environment). The box culvert and connecting drainage structures (P-114, P-115) are to be constructed in close proximity to existing electric lines (see Volume 1 - Supplemental Information). The Contractor shall coordinate with COT Electric Department prior to any construction in this area and shall adjust means and methods of construction as necessary to meet the requirements of COT Electric Department and OSHA electric safety standards. All costs associated with these requirements shall be included in the unit price.

425-1-451: INLETS, CURB, TYPE J-5, <10' (P107, P106)

The unit price shall include replanting or replacement of existing garden/landscaping materials between structure P-107 and P-106. Prior to work in this area, Contractor will meet with Engineer to approve a re-planting plan.

425-1-543, 425-2-10 (P-115, P-111): INLETS, SPECIAL, TYPE J-D, 4'X11' BOTTOM (P-115)

The unit price shall include cost of special concrete invert pavement as shown in the plans.

425-2-91, 425-2-71, 425-1-902, 425-1-904, 425-1-543

The unit price shall include cost of connecting existing pipes to drainage structures P-94, P-112B, P-123, P-120, and P-115. All methods of pipe connection shall meet Index 201 and 280. No additional payment will be made for concrete collars (jackets) at these locations.

430-175-118, 430-175-124, 430-175-136, 430-175-160, 430-175-172, 410-70-066: PIPE CULV, PRECAST CONCRETE BOX CULVERT

The unit price includes cost for excavation, sheeting and/or shoring, dewatering, filter fabric, and furnishing, placing and compacting bedding and backfill material in accordance with the

specifications. Unit price shall also include coordination with City Gas Department, City Electric Department, Comcast, and Century Link in the protection or relocation of their facilities (see Volume 1- Supplemental Information).

430-830, FILLING AND PLUGGING PIPE (FLOWABLE FILL)

The unit price shall include all costs associated with filling existing 18” pipe run from S103 to S98 (see Sheet 9 of Plans) with non-excavatable flowable fill. As an option, Contractor may elect to remove and dispose of existing pipe. Where pipe removal/disposal is proposed, unit cost shall include reconstruction of all roadway and roadside features that are impacted by removal of pipe.

520-1-10: CONCRETE CURB & GUTTER (TYPE F MOD. – MATCH EXISTING)

Unit price shall include removal/disposal of existing curb.

570-1-2: PERFORMANCE TURF (Sodding)

The unit price constitutes full compensation for all labor, materials, and incidentals required for establishing a stand of grass by sodding in accordance with Section 575 of The Standard Specifications, including furnishing and placing sod, fertilizer, weeding, watering, and maintenance.

**ENVIRONMENTAL PERMITS**

Subarticle 7-2.1 of the Standard Specifications is expanded by the following:

The following permits have been secured by the City and apply to this Contract. Copies of these permits are included in the Supplemental Information section of these Contract Documents:

**Northwest Florida Water Management District:**

Environmental Resource Permit – Permit Number 1643

**CONSTRUCTION OPERATIONS**

Subarticle 8-3.4 of the Standard Specifications is expanded by the following:

All construction operations shall be scheduled to begin no earlier than 7:30 am and to end no later than 7:00 pm Monday through Friday, and to begin no earlier than 8:00 am and to end no later than 6:00 pm on Saturday. No construction operations are to be scheduled on Sundays. No construction operations are to be scheduled on Saturdays if construction would cause a disturbance to water, sewer, gas, or electric services.

The City reserves the right to limit the Contractor’s work and/or lane closure hours at any time during the project duration from those hours identified within these documents. The Contractor agrees to make no claim for additional compensation as a result of this decision by the City. However, the Contractor may be entitled to an extension of time for such acts by the City, only for the number of days which the City determines to be due to such acts.